



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 31/205, 31/22, A61F 13/00, A61L 15/16 // (A61K 31/22, 31:205)	A1	(11) International Publication Number: WO 99/26618 (43) International Publication Date: 3 June 1999 (03.06.99)
(21) International Application Number: PCT/US98/24692 (22) International Filing Date: 20 November 1998 (20.11.98) (30) Priority Data: 97120698.2 26 November 1997 (26.11.97) EP (71) Applicant (for all designated States except US): THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): PALUMBO, Gianfranco [IT/DE]; Georgenfeld 7, D-61348 Bad Homburg (DE). GUARRACINO, Mario [IT/IT]; Via da denominare 28, 9, I-64028 Silvi Marina (IT). (74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217-1087 (US).		(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: SKIN PROTECTION COMPOSITION (57) Abstract <p>The invention relates to cationic compounds and triester compounds to be used for preparation of compositions, which preferably can be in the form of lotions, creams, powders, oils, foams and the like, and be applied to the skin to prevent or reduce or treat skin rash or diaper rash resulting from lypolytic dermatitis. The compositions of the invention can also be applied to diapers, incontinent-pads, wipes and the like. The invention also relates to the use of such a composition to prevent or reduce such a skin rash and a process for reducing the enzyme activity enzymes which are deactivated when the pH is reduced, such as lipase enzymes present on external skin.</p>		

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

SKIN PROTECTION COMPOSITION

The invention relates to cationic compounds and triester compounds to be used for preparation of compositions, which preferably can be in the form of lotions, creams, powders, oils, foams and the like, and be applied to the skin to prevent or reduce or treat skin rash or diaper rash resulting from lipolytic dermatitis. The compositions of the invention can also be applied to diapers, incontinent-pads, wipes and the like.

The invention also relates to the use of such a composition to prevent or reduce such a skin rash and a process for reducing the enzyme activity enzymes which are deactivated when the pH is reduced, such as lipase enzymes present on external skin.

Background

Skin rash caused by dermatitis, often referred to as diaper rash, has always been a problem encountered by the users of disposable absorbent articles, such as diapers, incontinence articles, sanitary towels, training pants etc. Therefore, one of the biggest needs for these users is a solution to this type of skin rash problem.

The main factor which influences the development of skin rash is the contact of the skin with the wet body exudates, directly or for example contained in

the absorbent article. Especially when the water content is high, skin rash can occur easily.

Manufacturers of diapers and skin care products have developed various products over the past decades which help reduce the occurrence of diaper rash (or skin rash).

The main focus thereby has been to reduce the exposure of the skin to the body exudates. This is for example done by introduction to the diaper of absorbing or better absorbing materials. The amount of water which is in contact with the skin is thus reduced.

Other products which are developed to address the skin-rash problem reduce the exposure of the skin to certain ingredients of the body exudates. An example of such ingredients of the exudate are bacteria which can infect the skin and thus start off or aggravate the skin rash.

For example, lotions have been developed which can form a barrier between the skin and the body exudates. Also, anti-inflammatory compositions can be applied to the skin or absorbent article.

EP 0191128 discloses a preparation comprising 8-hydroxy quinoline sulphate for treatment of skin irritation.

However, still one of the most heard complaints amongst users of absorbent articles such as diapers is the persistence of skin or diaper rash, despite the numerous products on the market which can be applied to prevent diaper or skin rash.

It has been discovered that yet another factor can set off or aggravate skin rash, namely the presence in the body exudate of various enzymes, especially lipase and protease enzymes.

- 5 EP 0117632B relates to disposable articles which comprise lipase inhibiting agents, preferably zinc containing components, and a vehicle material. Also mentioned is the use of glyceryl triacetate

US 3, 961,486 teaches the use of adipic acid to reduce the lipase enzyme
10 activity and to reduce the skin rash.

When the skin is exposed to lipase enzymes, the lipids of the skin can be affected by these enzymes. Furthermore, the protease enzymes present in the body exudate on the skin can affect the proteins (or peptides) of the
15 skin. The protection or barrier function of the top layer of the skin (the Stratum Corneum) will thus be diminished. This can effect the health of the skin and/or facilitate the infection of the skin. This can thus lead to skin or diaper rash.

20 It has been found that triester compounds similar to lipids or the lipids of the skin in particular can function as enzyme substrates, which, when acted upon by a hydrolysing esterase enzyme, such as lipase enzymes, will be hydrolysed resulting in the release of free acids. Firstly, the presence of these acids will lower the pH of the area where the esters were topical
25 applied to. This will amount to inactivation of all or most enzymes present in this area, in the body exudates, such as the lipase enzymes, protease enzymes. Secondly, the esterase or lipase enzymes are 'de-activated', because rather than hydrolysing the esters, such as lipids, of the skin, they hydrolyse the alternative substrate, the triester compounds of the invention.

30

It is known that bile salts are present in the body exudates. These bile salts are known to emulsify the lipase enzymes in the body, which ensures that the lipase enzymes are capable of performing on the lipid-water interface. It has been found that these bile salts still have an emulsifying function once
5 outside the body, in the body exudates. They aid the lipase enzyme which is present in the body exudate by attacking the lipids in the outer layer skin, exposed to the body exudate.


The inventors have found that these bile salts can be inactivated (and
10 thereby the lipase can be deactivated) when the bile salts are reacted with specific cationic compounds. They have found that the compositions comprising the cationic compounds can thereto be applied directly to the skin. This can be done by introduction of the composition into a cosmetic cream, lotion, oil, powder. Alternatively, the composition can be applied to
15 an absorbent article, such as a diaper, which then can be applied to the skin.

Surprisingly it has been found that the use of a combination of the cationic compounds and the triester compounds has an enhanced and elongated
20 effect on the skin-rash or lipolytic dermatitis. Unexpectedly, it has been found that the inhibition or inactivation of the lipase enzymes by the inactivation of the bile salts by the cationic compounds does not make the triester compounds less useful as enzyme substrates. Namely, it has been found that the cationic compounds provide an immediate effect, i.e.
25 inhibition or inactivation of the lipase enzymes, which may reduce over time, whilst the effect of the triester compounds is relatively delayed but long-lasting. Thus, the combination of the twocompounds provides an very effective, immediate and long-lasting reduction or prevention of the diaper/skin rash, resulting from dermatitis caused by the enzymes present
30 on the body exudates on the skin.

Summary of the Invention


The invention relates to the use of a compound (a) and a compound (b) for
 5 preparation of a composition for prevention, reduction or treatment of
 lipolytic dermatitis of the external skin, wherein (a) and (b) are:


(a) a triester compound of the formulation:




wherein R₁, R₂ and R₃ are independently an alkyl or alkenyl or
 hydroxyalkyl group with from 1 to 22 carbon atoms, and R₄, R₅, R₆, R₇
 15 and R₈ are independently selected from the group consisting of C₁-C₁₀
 linear or branched alkyl, alkenyl or hydroxyalkyl groups, hydroxy,
 chloride, bromide, amine or hydrogen ; and

(b) a cationic compound of the formulation:





or an amphoteric compound and preferably an acidity source, the amphoteric compound having at its iso-electric point the formula:



- 10 wherein R_1 , R_2 , R_3 and R_4 are independently selected from the group consisting of C_1 - C_{22} linear or branched alkyl, alkenyl, aryl, arylalkyl, amidoalkyl, (poly) alkoxy, hydroxyalkyl, or acyl groups, or two or more groups of R_1 , R_2 , R_3 and R_4 form together one or more ring structures; R_5 , R_6 and A are independently selected from the group consisting of C_1 - C_{22}
- 15 linear or branched alkylene, alkenylene, (poly) alkoxy, hydroxyalkylene, arylalkylene or amido alkylene groups; R_7 and R_8 are independently an C_1 - C_4 alkyl, alkenyl, alkoxy group or a hydroxy group or hydrogen; R_9 and R_{10} are independently selected from the group consisting of C_1 - C_{22} linear or branched alkenyl, aryl, arylalkyl, amidoalkyl, (poly) alkoxy, hydroxyalkyl, or
- 20 acyl groups, or two or more of the groups R_1 , R_9 and R_{10} form together one or more ring structures; BH is a proton donating group; x is from 2 to 4; and M^- is a counter ion.

The invention also provides a disposable absorbent article, preferably a diaper or wipe, containing a composition which comprises the cationic compound and ester compound as described above, preferably at such a level that the compounds are each present at a level of from 0.01% to 10% by weight of the article, preferably comprised in the topsheet of the diaper.

The invention also provides compositions introduced into a cosmetic cream, lotion, gel, oil, ointment or powder and the like, for topical application to the external skin.

Detailed Description of the Invention

The cationic compounds and triester compounds are used in for the preparation of compositions for prevention, reduction or treatment of lipolytic dermatitis of the (external) skin.

By treatment or reduction is meant herein the reduction of the lipolytic dermatitis or the rash of the skin, or diaper rash, which is caused by the lipase enzymes present on the skin, or at least stabilising the dermatitis or rash of the skin which is caused by these enzymes.

The composition of the invention can be applied to the skin which is in contact with at least the lipase enzymes. Such compositions can be comprised in a cream, lotion, oil, ointment, foam, powder or gel, which can be topical applied to the skin.

Alternatively, the compositions of the invention can be applied to an absorbent article, which can be brought in close contact with the skin which is in contact with the lipase enzymes. Such articles are preferably

disposable articles such as diapers, incontinent pads, training pants, sanitary towels, feminine hygiene garments, wet and dry wipes.

5 By the term "topical application" or "topical(ly) applied", as used herein, is meant directly laying on or spreading on epidermal tissue, especially outer skin.

The amount of the composition comprising the ester compounds of the
10 invention will vary with the particular location of the condition being treated, the severity of the condition being treated, the expected duration of the treatment, any specific sensitivity to either the composition itself, or the concentration of the ester compounds specific to the user, the condition of the user, concurrent therapies being administered, other conditions present
15 in the user.

For the present invention it is preferred that a minimum inhibitory concentration of the compositions containing the ester and cationic compounds of the invention is topically applied, to act as lipase de-activator
20 or inhibitor to the area in need of treatment of the lipolytic dermatitis or the area where prevention of enzymatic dermatitis is desired in a form such that it is available to inhibit the activity of the lipase present.

This area (or "affected area", as used herein) is meant the area of the skin
25 which is presently exhibiting any levels of skin rash or enzymatic dermatitis, or the area which will be in prolonged contact with body exudates containing the enzymes, in particular the lipase enzyme. This also includes the area immediately proximate to the described area. It is the area at which treatment, reduction of, and /or prevention is desired.

30

Lipolytic dermatitis

This invention deals with compositions comprising the triester compounds and cationic compounds described above (or (disposable) absorbent articles incorporating the compositions) for the treatment of dermatitis, in particular
5 diaper rash or diaper dermatitis caused by the lipase enzymes present in the body exudates (thus lipolytic dermatitis) and other conditions which are associated with prolonged contact of the skin with body exudates and/or the wearing of a absorbent article, or in particular a diaper.

10 Lipase, lipase enzyme or lipolytic enzyme is the trivial or common term employed to represent a group of enzymes belonging to the esterases. Their general activity is to hydrolyse fats present in the ester form (such as the glycerides found in human skin), and accordingly generate fatty acids and glycerol. Because this group of enzymes is so widely distributed in
15 plants, moulds, bacteria, milk, and milk-products, as well as in almost all animal tissues, and because moreover human lipase enzymes are present in the pancreatic exudates, they are almost always present in body exudates.

20 The activity of lipase enzymes contributes to almost all skin rash, or in particular diaper rash, causing irritation by the digestive degenerative action of these enzymes on the skin per se and by breaking down the lipid- skin components, compromises the barrier property of the skin in the affected area. This breakdown of the integrity of the skin allows other components of
25 the body exudates (urine and faeces in particular), which may not, by themselves, be irritating, to migrate through the compromised skin. At this point normally harmless components may then become irritating.

Compositions

30

Triester compounds

The present invention provides triester compounds, as defined above in formulation (I) and cationic compounds as defined above in formulations (II), (III), and (IV) for use in the preparation of compositions which can be used
5 for treatment, prevention or reduction of the skin rash or particularly diaper rash, which is set off or aggravated by enzymes, in particular the esterase enzymes, lipase, and protease enzymes, thus being the result of enzymatic dermatitis.

10 The composition preferably comprise the triester compounds at a level of from 0.01% to 90%, more preferably from 0.5% to 60%, most preferably from 2% to 25% by weight of the composition.

It should be understood that for the purpose of this invention, the groups R₁-
15 R₈ of formulations (I) and groups R₁-R₁₀ of formulations (II), (III) and (IV) above can be substituted by any appropriate substituent group.

Preferred triester compounds have one or more, preferably all of R₄, R₅,
R₆, R₇ and
20 R₈ of said compound being hydrogen.

Preferably, the triester compounds has at least one, preferably all of R₁, R₂
and R₃
being C1-C4 alkyl groups.

25 It can be highly preferred that the triester compound is glycerol triacetate.

Cationic compound

In the formulations (II), (III) and (IV) above, R₁, R₂, R₃ and R₉ are independently preferably C₁-C₈, more preferably C₁-C₄ alkenyl or alkoxy, more preferably alkyl groups, most preferably methyl or ethyl groups.

5 Preferably, R₄, R₅ and R₁₀ are independently C₈-C₁₈, more preferably C₁₂-C₁₆ alkenyl or alkoxy, more preferably alkyl or arylalkyl groups, whereby it can be preferred that one of the R₄, R₅ and R₉ substituents is benzyl group.

10 Alternatively, it can be preferred that the cationic compound comprises at least one R₁, R₂ or R₃ or R₉ being a poly alkoxy group. Thus, R₁, R₂, R₃ and R₉ preferably are independently polyalkoxy groups comprising C₂-C₆, preferably C₂-C₃ alkoxy units and having an alkoxylation number of from 2 to 50, preferably from 5 to 18. Then, R₃, R₄ and R₁₀ are independently
15 preferably C₁-C₈, more preferably C₁-C₄ alkenyl or alkoxy, more preferably alkyl groups, most preferably methyl or ethyl groups.

A, R₅ and R₆ are, independently, preferably C₁-C₆ alkenylene or more preferably alkylene groups, most preferably methylene or ethylene.

20

Preferred compounds can be benzalkonium chloride or Merquat 2200 (Trade name, being a 2-Propeneamide polymer of N,N-dimethyl-N-2-Propenyl-1-amonium chloride).

25 Preferred cationic compounds of the formulas above comprise one or more substituted R₁, R₂, R₃, R₄, R₉ or R₁₀ groups and/ or a substituted R₅ and/or substituted R₆ group, whereby the substituent is selected from the group from the group consisting of derivatives of silicon, glucose, fructose and saccharose.

30 Preferred can be Glucquat 125 (trade name, being lauryl dimethyl glucet-10-hydroxydimonium chloride).

Preferred cationic compounds of the formula (III) above are betaine or sulpho betaine having preferably R_1 and R_9 being a methyl group.

- 5 The composition preferably comprise the cationic compounds at a level of from 0.01% to 90%, more preferably from 0.5% to 60%, most preferably from 2% to 25% by weight of the composition.

Lotions, creams, oils, ointments, foams, gels, powders and the like

10

The compositions in accordance with the invention can be cosmetic compositions, preferably in the form of lotions, creams, oils, foams, ointments, powders, gels and the like. They can comprise any of the ingredients commonly used in the art for such compositions.

15

It is to be understood that the ingredients of the compositions above will depend on the character of the composition, thus lotions will generally comprise different additional ingredients than powders.

20

In the cosmetic creams, lotions, gels, oils or powders comprising the composition of the invention preferably an acidity source is present, preferably such that is capable to reduce the pH of the skin to below a pH of 8, more preferably below a pH of 7, more preferably below a pH of 6, or even more preferred below a pH of 5.

25

A wide variety of optional ingredients such as non-occlusive moisturisers, humectants, gelling agents, neutralising agents, perfumes, colouring agents, can be added to the skin compositions herein.

It can be preferred that the cosmetic cream, lotion, gel, oil, ointment or powder are substantially free from nonionic and/ or anionic surfactants and/ or phosphoric acid esters and/ or enzymes.


5 Additional ingredients

The composition of the invention can comprise additional ingredients. Which ingredient are present and in which level depends on the character of the composition and the use thereof.

10


A highly preferred additional component to be used for the preparation of the compositions of the present invention or for use in the compositions of the present invention are certain additional ester compounds.

15 A highly preferred additional ester compound for use in, or for preparation of the compositions of the invention is of the formulation:



or

25



for preparation of a composition for prevention or treatment of enzymatic dermatitis wherein R₁ and each R₂ independently are an acyl group with from 2 to 22 carbon atoms, or an alkyl, alkenyl, arylalkyl, hydroxyalkyl group with from 1 to 24 carbon atoms or hydrogen, whereby at least one of R₁ and R₂ is such an acyl group, R₃, R₄, R₅, R₆, R₇, R₈, and R₉ are independently an alkyl, alkenyl, arylalkyl, hydroxyalkyl, alkoxy groups of from 1 to 24 carbon atoms, hydroxy group or hydrogen; R₁₀ and R₁₁ are independently an alkyl, alkenyl, arylalkyl, hydroxyalkyl, alkoxy groups of from 2 to 24 carbon atoms, hydroxy group or hydrogen; A and B are independently a C₁-C₆ linear or branched alkylene, alkenylene, alkoxyethylene, hydroxyalkylene groups; the values of x are independently from 0 to 15; the values of y are independently 0 or 1, with the proviso that when x = 2 and y = 0, at least one R₂ is an alkyl, alkenyl, arylalkyl, hydroxyalkyl group with from 1 to 24 carbon atoms or hydrogen

It should be understood that for the purpose of this invention, the groups R₁-R₁₁ of formulations (V) and (VI) above can be substituted by any appropriate substituent group.

Preferred are the ester compounds as defined above, wherein the compound is of formula (V) or (VI) wherein x is 1 or 2, y is 0; R₁ and one R₂ are a C₂-C₁₆ acyl group, R₁₀ and one or more R₁₁ are a C₂-C₁₆ alkyl group; R₃, R₄, R₅, R₆, R₇ and R₈ are hydrogen

It is highly preferred that the additional ester compound is a mono or diester of formula (VI), most preferably a mono or diester of citric acid or tartaric acid (or salts thereof), or a triester of citric acid.

5

The additional ester compounds are preferably present in the compositions of the invention at a level of from 0.01% to 20%, more preferably from 0.05% to 10%, most preferably from 0.1% to 5% by weight of the composition.

10

Process

Also encompassed in the invention is a process for reducing the enzyme activity of the enzymes present on the external skin, whereby the process
15 comprises the steps of preferably topical applying a composition according to the invention to the external skin.

Thereby, acids are formed (in situ), preferably capable of reducing the initial pH to below 7.9, more preferably below 7.5 or even 7.3.

20

It can be preferred that an additional acidity source is present, capable of reducing the pH to below 7.3, preferably below 6 or even 5.

The composition used in the process or the process is preferably such that
25 within the first 15 minutes after application of the composition to the affected area, the lipase enzyme activity is reduced to 35%, preferably 25%, more preferably less than 20% of the initial lipase activity in this area.

Preferably the composition used in the process or the process is such that
30 60 minutes after application of the composition to the affected area, the

lipase enzyme activity is still less than 45%, preferably 35%, more preferably less than 30% of the initial lipase activity in this area.

This process can be preferably done by applying an absorbent article which
5 comprises the composition present in a suitable level, to the skin.

Absorbent Articles

10 The compositions of the invention, comprising the triester compounds and the cationic compound, can be comprised in a absorbent article, preferably a disposable absorbent article. A particularly preferred absorbent articles therefor is a diaper, which preferably comprises the composition in the topsheet of the diaper.

15

As used herein, the term "absorbent articles" refers to devices which absorb and contain body exudates, and, more specifically, refers to devices which are placed against or in proximity to the body of the wearer to absorb and contain the various exudates discharged from the body. The term
20 "disposable" is used herein to describe absorbent articles which are not intended to be laundered or otherwise restored or reused as an absorbent article (i.e., they are intended to be discarded after a single use and, preferably, to be recycled, composted or otherwise disposed of in an environmentally compatible manner).

25

The structure of the disposable absorbent article is not critical to the practice of the present invention.

Normally, the composition is incorporated into the absorbent article or diaper
30 in particular in an amount which will deliver the required treatment or

reduction or prevention of the lipolytic dermatitis preferably after frequent use.

5 The disposable absorbent article preferably contains the cationic compounds and the triester compounds in a compositions present at a level of from 0.01% to 30%, more preferably from 0.01% to 10%, most preferably from 0.05% to 5% by weight of the article.

An absorbent article generally comprises

- 10 - an absorbent core (which may consist of sub-structures);
- a fluid pervious topsheet;
- a fluid impervious backsheet;
- optionally further features like closure elements or elastification.

15

As used herein, the term "diaper" refers to an absorbent article generally worn by infants and incontinent persons that is worn about the lower torso of the wearer. It should be understood, however, that the present invention is also applicable to other absorbent articles such as incontinent briefs,
20 incontinent undergarments, diaper holders and liners, feminine hygiene garments, and the like.

A preferred wipe for the purpose of this invention comprises an absorbent fibrous material or core into which the composition may be releasably
25 incorporated. A highly preferred disposable wipe for the purposes of this invention comprises an absorbent fibrous material and a faeces-impermeable backing material; said backing being superposed or co-extensive with one face of said absorbent fibrous material; said backing material most preferably being a web-backing material and most preferably
30 having a width greater than said absorbent material providing side marginal portions which extend beyond said absorbent material, said margin portions

being folded around and on top of the edges of said absorbent material. The compositions of the invention agent may be releasably incorporated into the wipe structure by diverse methods which will be readily apparent to those skilled in the art. For example, the compositions can be present in aqueous or volatile carrier such as water, ethanol, or the like, or creams, lotions, oils, ointments, gels or powders, and applied to the absorbent material by spraying, dipping, printing, soaking or otherwise contacting the absorbent material of the wipe with the lipase-inhibiting agent and its carrier. A skin cleansing agent, preferably an oleaginous cleansing agent, may optionally be releasably incorporated into the absorbent material as well.

The compositions of the present invention are preferably incorporated into a diaper, preferably into the absorbent core structure or most preferably into the topsheet structure. The composition may be incorporated into the diaper structure by diverse methods which will be readily apparent to those skilled in the art. For example, the composition can be, optionally after being dispersed aqueous or volatile carrier such as water, ethanol, or the like, applied to the diaper topsheet, to the absorbent core, or to the core side of the backsheet, by spraying, dipping, printing, soaking or otherwise contacting the selected structural element of the diaper with composition and optionally its carrier, which is called herein impregnation.

The diaper preferably comprises a liquid pervious topsheet, a liquid impervious backsheet joined with the topsheet, an absorbent core positioned between the topsheet and the backsheet. While the topsheet, the backsheet, and the absorbent core may be assembled in a variety of well known configurations, preferred diaper configurations are described generally in U.S. Patent 3,860,003 entitled "Contractable Side Portions for Disposable Diaper" which issued to Kenneth B. Buell on January 14, 1975; and U.S. Patent Application Serial No. 07/715,152, allowed, "Absorbent

Article With Dynamic Elastic Waist Feature Having A Predisposed Resilient Flexural Hinge", Kenneth B. Buell et al. filed June 13, 1991.

The backsheet is positioned adjacent the garment surface of the absorbent
5 core and is preferably joined thereto by attachment means such as those
well known in the art. For example, the backsheet may be secured to the
absorbent core by a uniform continuous layer of adhesive, a patterned layer
of adhesive, or an array of separate lines, spirals, or spots of adhesive.
Adhesives which have been found to be satisfactory are manufactured by H.
10 B. Fuller Company of St. Paul, Minnesota and marketed as HL-1258. The
attachment means will preferably comprise an open pattern network of
filaments of adhesive as is disclosed in U.S. Patent 4,573,986 entitled
"Disposable Waste-Containment Garment", which issued to Minetola et al.
on March 4, 1986, more preferably several lines of adhesive filaments
15 swirled into a spiral pattern such as is illustrated by the apparatus and
methods shown in U.S. Patent 3,911,173 issued to Sprague, Jr. on October
7, 1975; U.S. Patent 4,785,996 issued to Ziecker, et al. on November 22,
1978; and U.S. Patent 4,842,666 issued to Werenicz on June 27, 1989.
Alternatively, the attachment means may comprise heat bonds, pressure
20 bonds, ultrasonic bonds, dynamic mechanical bonds, or any other suitable
attachment means or combinations of these attachment means as are
known in the art.

The absorbent article may further comprise elastification or closure features
25 well-known in the art and - for example - described in E 0254476 (Alemany).

The topsheet is positioned adjacent the body surface of the absorbent core
and is preferably joined thereto and to the backsheet by attachment means
such as those well known in the art. As used herein, the term "joined"
30 encompasses configurations whereby an element is directly secured to the
other element by affixing the element directly to the other element, and

configurations whereby the element is indirectly secured to the other element by affixing the element to intermediate member(s) which in turn are affixed to the other element.

5 Generally, the topsheet is compliant, soft feeling, and non-irritating to the wearer's skin. Further, the topsheet is liquid pervious permitting liquids (e.g., urine) to readily penetrate through its thickness. A suitable topsheet may be manufactured from a wide range of materials, such as porous foams; reticulated foams; apertured plastic films; or woven or nonwoven
10 webs of natural fibres (e.g., wood or cotton fibres), synthetic fibres (e.g., polyester or polypropylene fibres), or a combination of natural and synthetic fibres. There are a number of manufacturing techniques which may be used to manufacture the topsheet. For example, the topsheet may be a nonwoven web of fibres spunbonded, carded, wet-laid, meltblown,
15 hydroentangled, combinations of the above, or the like.

Preferably the topsheet comprises a means to adjust hydrophilicity of the material.

20 Absorbent cores comprise essentially all absorbent parts of the absorbent article other than the topsheet, which contribute to fluid absorbency or fluid handling.

The absorbent cores should be generally compressible, conformable, non-
25 irritating to the wearer's skin, and capable of absorbing and retaining liquids such as urine and other certain body exudates.

The absorbent core can be made of a variety of materials. Preferred materials are fibrous materials, which can form a fibrous web, natural
30 occurring or synthetic fibres or optionally thermoplastic fibres. In addition

thereto polymeric stiffening agents are preferably present. Also preferred can be hydrogel-forming polymers or absorbent polymers.


5 The various core, topsheet and backsheet materials can be arranged in any way known in the art, such as described in Weisman et al. (EP 0 202 125) or Alemany et al. (EP 0 254 476).

Also encompassed in the present invention is a process for making a diaper comprising the composition of the invention whereby the topsheet is
10 impregnated with the composition before incorporation in the diaper..

WHAT IS CLAIMED IS:


1. The use of a compound of (a) and a compound of (b) for preparation of
 5 a composition for prevention or treatment of lipolytic dermatitis of the
 external skin, wherein (a) and (b) are:


(a) a compound of the formulation:




wherein R₁, R₂ and R₃ are independently an alkyl or alkenyl or
 hydroxyalkyl group with from 1 to 22 carbon atoms, and R₄, R₅, R₆, R₇
 15 and R₈ are independently selected from the group consisting of C₁-C₁₀
 linear or branched alkyl, alkenyl or hydroxyalkyl groups, hydroxy,
 chloride, bromide, amine or hydrogen ; and

(b) a cationic compound of the formulation:





or an amphoteric compound and preferably an acidity source, the amphoteric compound having at its iso-electric point the formula:



- wherein R₁, R₂, R₃ and R₄ are independently selected from the group consisting of C₁-C₂₂ linear or branched alkyl, alkenyl, aryl, arylalkyl, amidoalkyl, (poly) alkoxy, hydroxyalkyl, or acyl groups, or two or more groups of R₁, R₂, R₃ and R₄ form together one or more ring structures; R₅, R₆ and A are independently selected from the group consisting of C₁-C₂₂ linear or branched alkylene, alkenylene, (poly) alkoxy, hydroxyalkylene, arylalkylene or amido alkylene groups; R₇ and R₈ are independently an C₁-C₄ alkyl, alkenyl, alkoxy group or a hydroxy group or hydrogen; R₉ and R₁₀ are independently selected from the group consisting of C₁-C₂₂ linear or branched alkyl, alkenyl, aryl, arylalkyl, amidoalkyl, (poly) alkoxy, hydroxyalkyl, or acyl groups, or two or more of the groups R₁, R₉ and R₁₀ form together one or more ring structures; BH is a proton donating group; x is from 2 to 4; and M⁻ is a counter ion.

2. The use of a compound (a) and (b) for preparation of a composition according to Claim 1, wherein the composition is for prevention or treatment of diaper rash.
- 5 3. The use of a compound (a) and (b) for preparation of a composition according to Claim 1 or 2 wherein compound (a) has R₄, R₅, R₆, R₇ and R₈ being hydrogen.
- 10 4. The use of a compound (a) and (b) for preparation of a composition according to any of Claim 1 to 3 wherein compound (a) has R₁, R₂ and R₃ being independently a C₁-C₄ alkyl group.
5. The use of a compound (a) and (b) for preparation of a composition according to Claim 4 wherein the compound (a) is glycerol triacetate.
- 15 6. The use of a compound (a) and (b) for preparation of a composition according to any preceding Claim wherein the cationic compound (b) comprises one or more substituted R₁, R₂, R₃, R₄, R₉ or R₁₀ groups and/ or a substituted R₅ and/or substituted R₆ group, whereby the
20 substituent is selected from the group from the group consisting of derivatives of silicon, glucose, fructose and saccharose.
7. The use of a compound (a) and (b) for preparation of a composition according to any preceding Claim wherein the cationic compound (b)
25 comprises at least one R₁, R₂, R₃ and R₉ being C₁-C₈, preferably C₁-C₄ alkyl, alkenyl or alkoxy groups, most preferably methyl or ethyl groups.
8. The use of a compound (a) and (b) for preparation of a composition
30 according to any of the preceding Claims, wherein the cationic

compound (b) comprises at least one R₁, R₂ or R₃ or R₉ being a polyalkoxy group.

9. The use of a compound (a) and (b) for preparation of a composition
5 according to any of the preceding Claim, wherein the cationic compound (b) is of formula (IV), being a betaine compound or sulphobetaine compound.
10. The use of from 0.5% to 60% by weight (of the composition) of the
10 compounds (a) and (b) for preparation of a composition according to any of Claims 1 to 8.
11. A disposable absorbent article in the form of a wet-wipe, wipe, diaper or
catamenial article for use on or application to the external skin
15 containing the composition according to any preceding Claim.
12. A disposable absorbent article according to Claim 11 in the form of a
diaper comprising the composition, whereby the compound (a) and the
compound (b) of the composition are present at a level of from 0.01% to
20 10% by weight of the diaper.
13. A disposable diaper according to Claim 12 whereby the diaper
comprises a topsheet which contains the composition.
- 25 14. A process for making a diaper according to Claim 13 whereby the
topsheet is impregnated with the composition before incorporation in the
diaper.
- 30 15. A composition according to any of Claims 1 to 10 in the form of a
cosmetic cream, lotion, gel, oil, ointment or powder, for topical
application to the external skin or to a disposable absorbent article.

16. A process for reducing the lipolytic enzyme activity of the lipase
enzymes present on the external skin comprising the step of (topically)
applying a composition according to any of Claims 1 to 10 to the
5 external skin.

17. A process for reducing the lipolytic enzyme activity of the lipase
enzymes present on the external skin comprising the step of (topically)
applying a composition or an absorbent article comprising the
10 composition according to any preceding Claims to the external skin.

INTERNATIONAL SEARCH REPORT

Int. l. Application No
PCT/US 98/24692

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61K31/205 A61K31/22 A61F13/00 A61L15/16 //(A61K31/22, 31:205)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K A61F A61L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 561 106 A (ERILLI RITA ET AL) 1 October 1996 *cf. abstract, col. 2, lines 42-50, col. 4, lines 56-60, col. 5, last para. bridging with col. 6, lines 1-63* ---	1-17
Y	US 4 780 249 A (PITZ EUGENE P ET AL) 25 October 1988 *cf. abstract and col. 1, bridging with col. 2, lines 1-51 "Summary of the invention" and table 1 on cols. 7 and 8* ---	1-17
Y	WO 96 22347 A (ADAMY STEVEN ;BEDI SAT (US); THOMAS BARBARA (US); COLGATE PALMOLIV) 25 July 1996 *cf. abstract, page 3, lines 7-11, page 5, lines 20-30, including formula (I), page 6, lines 1-10, and, page 8, lines 10-29* -----	1-17

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

16 March 1999

Date of mailing of the international search report

24/03/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+31-70) 340-3016

Authorized officer

Stoltner, A

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int .tional Application No

PCT/US 98/24692

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5561106 A	01-10-1996	US 5571459 A	05-11-1996
		AU 1925795 A	11-09-1995
		EP 0748368 A	18-12-1996
		WO 9523204 A	31-08-1995
		AU 680076 B	17-07-1997
		AU 1148995 A	17-08-1995
		BR 9500451 A	26-09-1995
		CA 2141926 A	08-08-1995
		EP 0668346 A	23-08-1995
		HU 70071 A	28-09-1995
		NZ 270433 A	25-06-1996
		PL 307113 A	10-06-1996
US 4780249 A	25-10-1988	AU 5078885 A	26-06-1986
		EP 0186453 A	02-07-1986
		JP 61171800 A	02-08-1986
WO 9622347 A	25-07-1996	US 5476614 A	19-12-1995
		US 5767050 A	16-06-1998
		AU 4694796 A	07-08-1998

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.